

CLEAN SMART. CLEAN FAST

i-VAC COBOT & BASE

A Perfect Partnership





**CLEAN SMART
CLEAN FAST**



i-vac cobotic

Vacuuming is a labour-intensive task but a necessity in all commercial spaces. With the i-vac cobotic 1700, you can free up your cleaning operatives to do more, allowing valuable resources to be re-deployed to other areas.

Now time-sensitive tasks will be a thing of the past with the fully automated, intelligent i-vac—soon to become your newest team member!

CLEAN SMART. CLEAN FAST

INTELLIGENT

24 Intelligent sensors handle challenging environments with ease



REAL-TIME

Real-time mapping and planning for the best cleaning path



INTUITIVE

intuitively adjusts the suction power to suit any flooring



LONG-LASTING

Impressive working time of up to 150 minutes




ADAPTABLE

Specially designed V-shaped brush roller can manage any floor type



MONITOR

Cliff sensors scan and find steps and anti-collision sensors monitor the environment to report potential obstacles



CLEAN SMART. CLEAN FAST

Hands-off Cleaning

The super powerful digital 2700Pa motor easily removes dust and dirt from all hard floor surfaces and pulls debris from deep within carpeting. It is also equipped with a 5200mAh Lithium-Ion battery, providing an impressive working time of up to 150 minutes.

The i-vac can locate the placement of objects around complex environments, and anti-collision sensors monitor the environment to report potential obstacles. It can even navigate heights of up to 2



cm—much higher than other vacuums.

On-board sensors know when the battery is low and i-vac will return-to-base for intuitive charging, and will resume cleaning until the job is complete. When using with Base, the robot will return to be placed back by an operative.

Mopping functionality also available as an optional extra.

CLEAN SMART. CLEAN FAST.





App Control

Cobot builds a map as it cleans, showing any obstacles and the cleaning path

Define your cleaning zones, easily exclude areas

Re-dock at a touch

See active time, area covered and battery level at a glance


See historic cleaning records: Day, week, month and year

Adjust suction as needed

Cobotic Specifications


| | |
|-------------------------|-------------------|
| Suction | 2700 Pa |
| Dust Container Capacity | 600 ml |
| Water Tank Capacity | 110 ml |
| Runtime | 100 – 150 minutes |
| App Control | Yes |
| LDS Laser Control | Yes |

base
backto**base**



CLEAN SMART. CLEAN FAST

Base Automate Your Cleaning



Base is the perfect way to keep your robots charged and ready to work!



Base holds and charges six robots simultaneously and is easily moved from location to location.



Base is designed and made by Killis with a pending patent application for its unique execution.

Base Specifications

Weight without Robots 25 kg

Weight per Robot 4 kg

Dimensions (cm) H 1345 x W 390 x L 550

Wheel Diameter 100 mm

Power Source 230 v 13 amp

Material Powder Coated Steel

CLEAN SMART. CLEAN FAST.

Thank You.



DO YOU HAVE ANY QUESTIONS?
